

Datasheet

Art.No. 81.000.6520.0

Switched-mode power supply WIPOS PS1 2.5

wipos PS1 switched-mode power supply, nominal voltage: 24 V DC / 2,5 A
 (setting range 21,6-27,6 V DC), sustained short-circuit protection, input voltage
 range: 85-264 V AC / 90-350V DC, single phase, W x H x D: 32 x 90 x 110 mm



Art.No.	81.000.6520.0
EAN	4049088269646
Order unit	1 pieces

Approvals



Technical data

General

Connection type	Screw connection
Modular version	No
Mounting type, other	No
Mounting type, wall mounting	No
Rail mounting possible	Yes

Technical data

Type of voltage (input voltage)	
Power output	60 W
Type of output voltage	DC
Output voltage stabilized	Yes
Output voltage	24 V
Min. output voltage	21.6 V
Max. output voltage	27.6 V
Output current	2.5 A
Input voltage AC min.	85 V
Input voltage AC max.	264 V
Input voltage DC min.	90 V
Input voltage DC max.	350 V

Dimensions

Depth	110 mm
Width	32 mm


Height	90 mm
--------	-------

Classification

ETIM 5.0	EC002540: DC-power supply
----------	---------------------------



Drawings



Weitere Angaben siehe KATALOG oder eKatalog. Additional data see CATALOG or eCatalog. www.wieland-electric.com eshop.wieland-electric.com

ja/yes Stoffverbots- und Deklarationsliste nach WN 5020.010 ist einzuhalten. Conformity with Wieland document WN 5020.010 e (list of prohibited / declarable hazardous substances) to be declared!

Freitoleranz nach General tolerance		CAD-Zeichnung, keine manuellen Änderungen CAD-Drawing, no manual modifications allowed		1. Verwendung: First Use:		Blatt: Sheet:	
Werkstoff/ Material		2015	Tag/ Date	Name		Zeichnung Nr./ Drawing No.	
Maßstab/Scale		gezeichnet drawn	20.01.	Kötzner		81.000.6520.0 01K	
Datei/ File: 042251_01K.DCD		Ersatz für/ Replacement for:		Maße in mm/Dimensions are in mm			
Index Änderung/ Revision		www.wieland-electric.com		Type	Benennung/ Title Teilespezifikation / Component specification Schaltnetzteil / Switching Power Supply wipos PS1 24 V DC / 2.5 A		