



## Datasheet

Art.No. 57.504.0055.6

Feed-through terminal WK 4 / U BLUE /V0

Feed-through DIN rail terminal block with screw connection for mounting on TS 35 and TS 32, nominal cross section 4 mm², width 6 mm, color blue



| Art.No.    | 57.504.0055.6 |
|------------|---------------|
| EAN        | 4015573487970 |
| Order unit | 100 pieces    |

## Approvals















## Technical data

## General

| Nominal cross section                                      | 4 mm²                          |
|--|--------------------------------|
| Colour   | Blue                           |
| Number of levels   | 1                              |
| Number of clamp positions per level                        | 2                              |
| Width/grid dimension                                       | 6 mm                           |
| Insulating housing   | PA666                          |
| Inflammability class of insulation material acc. with UL94 | V0                             |
| Explosion-tested version "Ex e"                            | Yes                            |
| Mounting method  | DIN rail (top hat rail)/G-rail |
| Terminal blocks for electrical installations               | Yes                            |

#### **Technical data**

| Rated current               | 32 A          |
|-----------------------------|---------------|
| Rated voltage               | 800 V         |
| Rated impulse voltage       | 8 kV          |
| Pollution degree            | 3             |
| Closing plate required      | Yes           |
| Length                      | 44.5 mm       |
| Type of insulation material | Thermoplastic |

#### **Connection Data**

| Connection type 1 | Screw connection |
|-------------------|------------------|
| Connection type 2 | Screw connection |

Page: 1 of 5





| Minimum cross section solid         | 0.5 mm <sup>2</sup> |
|-------------------------------------|---------------------|
| Maximum cross section solid         | 6 mm²               |
| Minimum cross section fine stranded | 0.5 mm <sup>2</sup> |
| Maximum cross section fine stranded | 4 mm²               |
| Wire strip length                   | 9 mm                |
| Torque conductor mounting           | 0.5 Nm              |

## **Technical Data UL/CSA**

| Cross section UL       | 22-10 AWG |
|------------------------|-----------|
| Voltage UL             | 600 V     |
| Current factory wiring | 35 A      |
| Current field wiring   | 30 A      |
| Cross section CSA      | 20-10 AWG |
| Voltage CSA            | 600 V     |
| Current CSA            | 40 A      |

### **Accessories**

| Art.No.:      | Type:                                      | Description  |
|---------------|--|--|
| 04.326.2153.8 | Cover with marking facility AD VB 4 YELLOW | Cover with marking facility for cross connector for DIN rail terminal blocks type WK                       |
| 04.342.0656.8 | Cover AD VB 6/10 YELLOW                    | Cover for cross connector for DIN rail terminal blocks type WK   |
| 04.342.3656.8 | Cover AD VB 6/10 P YELLOW                  | Cover for cross connector for DIN rail terminal blocks type WK   |
| 04.343.4856.8 | Warning cover AD VB 6/4 YELLOW             | Cover with warning symbol for cross connector for DIN rail terminal blocks type WK                         |
| 05.508.8921.0 | Test socket 9011 D                         | Test socket for Test plug 4 mm for DIN rail terminal blocks type   |
| 07.311.0155.0 | End plate AP 2,5 -4 /V0                    | End plate for DIN rail terminal blocks type WK, color gray   |
| 07.311.0155.6 | End plate AP 2,5 -4 BL/V0                  | End plate for DIN rail terminal blocks type WK, color blue   |
| 07.311.1155.0 | Partition TW 2,5 -4 /V0                    | Partition for DIN rail terminal blocks type WK, color gray   |
| 07.311.1155.6 | Partition TW 2,5 -4 BL/V0                  | Partition for DIN rail terminal blocks type WK, color blue   |
| 07.311.2153.8 | Partition TS 4 YELLOW                      | Partition plate with marking facility for DIN rail terminal blocks type WK, color yellow                   |
| 98.190.0000.0 | Mounting rail G-32 EN60715 2000MM          | Mounting rail G 32, unslotted, Höhe 5,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated  |
| 98.190.1000.0 | Mounting rail G-32 EN60715 2000MM          | Mounting rail G 32, slotted, Höhe 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated     |
| 98.210.0000.0 | Mounting rail G-32 EN60715 2000MM          | Mounting rail G 32, unslotted, Höhe 15 mm, length 2 m, material Aluminium                                  |
| 98.220.0000.0 | Mounting rail G-32 EN60715 2000MM          | Mounting rail G 32, unslotted, Höhe 15 mm, length 2 m, material E copper                                   |
| 98.300.0000.0 | Mounting rail 35x27x7,5EN60715 2000MM      | Mounting rail TS 35, unslotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated |
| 98.300.1000.0 | Mounting rail 35x27x7,5EN60715 2000MM      | Mounting rail TS 35, slotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated   |
| 98.300.1900.0 | Mounting rail 35x27x7,5EN60715 2000MM      | Mounting rail TS 35, slotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated   |
| 98.360.0000.0 | Mounting rail 35x24x15 EN60715 2000MM      | Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated  |
| 98.360.0004.0 | Mounting rail 35x24x15 EN60715 2000MM      | Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material steel, hot galvanized                     |





| 98.370.0000.0 | Mounting rail 35x27x15(EN60715)2000MM | Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated |
|---------------|---------------------------------------|---|
| 98.370.1000.0 | Mounting rail 35x27x15(EN60715)2000MM | Mounting rail TS 35, slotted, size 15 mm, length 2 m material steel. galv. zinc-plated and dichromated    |
| 98.380.0000.0 | Mounting rail 35x24x15 EN60715 2000MM | Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material E copper                                 |
| Z5.522.1321.0 | End bracket 9008 U                    | End clamp for mounting rail TS 32   |
| Z5.522.2423.0 | End bracket 9008                      | End clamp for mounting rail TS 32   |
| Z5.522.7053.0 | End bracket 9708                      | End clamp for mounting rail TS 32   |
| Z5.522.7453.0 | End bracket 9708 / S35                | End clamp for mounting rail TS 35   |
| Z5.522.8553.0 | End bracket 9708 / 2 S 35             | End clamp for mounting rail TS 35   |
| Z5.523.5653.0 | End bracket WE 2 / U                  | End clamp for mounting rail TS 35 and TS 32   |
| Z5.523.5753.0 | End bracket WE 1 / U                  | End clamp for mounting rail TS 35 and TS 32   |
| Z5.523.9353.0 | End bracket WEF 1 / 35                | End clamp, schraubenlos for mounting rail TS 35   |
| Z5.553.2921.0 | Test plug ST 2 / 2.3 RED              | Test plug 2,3 mm color red  |
| Z7.255.0227.0 | Jumper bar IVB 0,5 WK4 2              | Jumper comp, insulated for DIN rail terminal blocks type WK, 2 -pole                                      |
| Z7.255.0327.0 | Jumper bar IVB 0,5 WK4 3              | Jumper comp, insulated for DIN rail terminal blocks type WK, 3 -pole                                      |
| Z7.255.0427.0 | Jumper bar IVB 0,5 WK4 4              | Jumper comp, insulated for DIN rail terminal blocks type WK, 4 -pole                                      |
| Z7.255.0527.0 | Jumper bar IVB 0,5 WK4 5              | Jumper comp, insulated for DIN rail terminal blocks type WK, 5 -pole                                      |
| Z7.255.0627.0 | Jumper bar IVB 0,5 WK4 6              | Jumper comp, insulated for DIN rail terminal blocks type WK, 6 -pole                                      |
| Z7.255.0727.0 | Jumper bar IVB 0,5 WK4 7              | Jumper comp, insulated for DIN rail terminal blocks   |
| Z7.255.0827.0 | Jumper bar IVB 0,5 WK4 8              | type WK, 7 -pole  Jumper comp, insulated for DIN rail terminal blocks                                     |
| Z7.255.0927.0 | Jumper bar IVB 0,5 WK4 9              | type WK, 8 -pole  Jumper comp, insulated for DIN rail terminal blocks                                     |
| Z7.255.1027.0 | Jumper bar IVB 0,5 WK4 10             | type WK, 9 -pole  Jumper comp, insulated for DIN rail terminal blocks type WK, 10 -pole                   |
| Z7.255.1127.0 | Jumper bar IVB 0,5 WK4 11             | Jumper comp, insulated for DIN rail terminal blocks type WK, 11 -pole                                     |
| Z7.255.1227.0 | Jumper bar IVB 0,5 WK4 12             | Jumper comp, insulated for DIN rail terminal blocks type WK, 12 -pole                                     |
| Z7.255.4227.0 | Jumper bar IVB 1 WK4 2                | Jumper comp, insulated for DIN rail terminal blocks type WK, 2 -pole                                      |
| Z7.255.4327.0 | Jumper bar IVB 1 WK4 3                | Jumper comp, insulated for DIN rail terminal blocks type WK, 3 -pole                                      |
| Z7.255.4427.0 | Jumper bar IVB 1 WK4 4                | Jumper comp, insulated for DIN rail terminal blocks type WK, 4 -pole                                      |
| Z7.255.4527.0 | Jumper bar IVB 1 WK4 5                | Jumper comp, insulated for DIN rail terminal blocks type WK, 5 -pole                                      |
| Z7.255.4627.0 | Jumper bar IVB 1 WK4 6                | Jumper comp, insulated for DIN rail terminal blocks type WK, 6 -pole                                      |
| Z7.255.4727.0 | Jumper bar IVB 1 WK4 7                | Jumper comp, insulated for DIN rail terminal blocks type WK, 7 -pole                                      |
| Z7.255.4827.0 | Jumper bar IVB 1 WK4 8                | Jumper comp, insulated for DIN rail terminal blocks type WK, 8 -pole                                      |
| Z7.255.4927.0 | Jumper bar IVB 1 WK4 9                | Jumper comp, insulated for DIN rail terminal blocks type WK, 9 -pole                                      |
| Z7.255.5027.0 | Jumper bar IVB 1 WK4 10               | Jumper comp, insulated for DIN rail terminal blocks type WK, 10 -pole                                     |
| Z7.255.5127.0 | Jumper bar IVB 1 WK4 11               | Jumper comp, insulated for DIN rail terminal blocks type WK, 11 -pole                                     |





| Z7.255.5227.0 | Jumper bar IVB 1 WK4 12        | Jumper comp, insulated for DIN rail terminal blocks     |
|---------------|--------------------------------|---|
|               |                                | type WK, 12 -pole                                       |
| Z7.269.4123.0 | Switch connecting link QL WK 4 | Selectable connecting link for DIN rail terminal blocks |
|               |                                | type WK   |





# Drawings

