

Wieland Electric



# Datasheet

Art.No. 92.258.7000.9

Cable assembly GST18I5KSBS 25E 70PB02

gesis® Extension cable female - male; length: 7m; type GST18I5; 5-pole;2 50/400 V / 20 A; colour of coding: pastel blue with black strain-relief; cable: H05VV-F 5G2,5, colour: black, fire class Eca



Art.No.	92.258.7000.9
EAN	4049644007194
Order unit	1 pieces

## Approvals



### Technical data

### General

Rated current	20 A
Rated voltage	250 V
Rated impulse voltage	4 KV
Pollution degree	2
Mechanical coding	Code 2
Lockable	Yes
Color of coding/ contact carrier	Pastel blue
Marking of poles	L, N, PE, D2, D1
Color of housing inclusive strain relief	Black

#### Model

Nominal cross section conductor	2.5 mm <sup>2</sup>
Degree of protection (IP)	IP20
Cable type	H05VV-F
Cable colour	Black
Cable diameter	12.1 mm
Version of cable	Female - male
Type of cord set	Connecting cable
Version cable end 1	GST18i5 female
Version cable end 2	GST18i5 plug

# Material

Surface finish





Halogen free	No
Continuous temperature of cable	70 °C
Insulation components continous temperature	100 °C
Fire class	Eca

## Dimensions

Total length 7 m
------------------

## Classification

ECLASS 8.1	27440604: Patch cord for plug-in building installation	
ETIM 6.0	: EC002587	
ETIM 5.0	EC002587: Patch cord for plug-in building installation	
ETIM 4.0	EC002587: Patch cord for plug-in building installation	

### Accessories / components

Art.No.:	Туре:	Description
05.564.5353.0	Cover cap GST18I3/4/5 SW	Cover piece 12 pole black for female parts GST18i3-6
05.564.5353.2	Cover cap GST18I3/4/5 WS	Cover piece 12 pole white for female parts GST18i3-6
05.566.9253.0	Cover cap GST18I5 BUCHSEN	Cover for female connectors GST18i5, black
05.587.3156.0	Locking slide (G)ST18 WS	Locking device for cable to cable connection GST18i3-
		5, white
05.587.3156.1	Locking slide (G)ST18 SW	Locking device for cable to cable connection GST18i3-
		5, black





Drawings

