

Datasheet

Art.No. 92.030.2253.0

LINECT distributor GST18i3VN2P1N V WS

Lighting connector gesis LINECT, GST18i3, 3-pole, 250 V, 20 A, 1 Input, 1 Outlet, 1 interface to a lighting terminal-block with LINECT port 16 A. To contact luminaires with LINECT-interface to power circuits. Coding: white, housing: white



Art.No.	92.030.2253.0
EAN	4049088092978
Order unit	1 pieces

Approvals



Technical data

General

Rated current	20 A
Rated voltage	250 V
Rated impulse voltage	4 kV
Pollution degree	2
Mechanical coding	Yes
Lockable	Yes
Color of coding/ contact carrier	White
Marking of poles	L, N, PE

Model

Number of inputs	1
Number of outputs	2
Type of fastening	Yes
Degree of protection (IP)	IP20
Type of distributor	Integrated lamp connector

Material

Housing material	Polyamide
Halogen free	Yes
Contact material	CuZn
Insulation components continuous temperature	100 °C
Surface finish	Tin-plated

Dimensions

Length	71.6 mm
Width	52.6 mm
Height	45.2 mm

Classification

ECLASS 8.1	27440603: Compact distributor for plug-in building installation
ETIM 6.0	: EC002567
ETIM 5.0	EC002567: Compact distributor for plug-in building installation
ETIM 4.0	EC002567: Compact distributor for plug-in building installation

Accessories / components

Art.No.:	Type:	Description
05.561.3653.0	Cover cap GST18i3VS B WS	Cover piece for female GST18i3, white
05.561.3653.1	Cover cap GST18i3VS B SW	Cover piece for female GST18i3, black
05.564.5353.0	Cover cap GST18i3/4/5 SW	Cover piece 12 pole black for female parts GST18i3-6
05.564.5353.2	Cover cap GST18i3/4/5 WS	Cover piece 12 pole white for female parts GST18i3-6
05.594.4250.0	Cover cap ST18/3B + GST18i3 ST WS	
05.594.4253.0	Cover cap ST18/3B + GST18i3 ST WS	
92.931.3053.0	Female connector with strain relief GST18i3S B1 ZR1 WS	Connector GST18i3, 3 pole, female, screw connection, 250 V, 20 A, colour of coding: white, colour of housing: white
92.932.3053.0	Male connector with strain relief GST18i3S S1 ZR1 WS	Connector GST18i3, 3 pole, male, screw connection, 250 V, 20 A, colour of coding: white, colour of housing: white
92.933.0053.0	Female connector with strain relief GST18i3F B2 ZR1 WS	Connector GST18i3, 3 pole, female, spring clamp connection, 250 V, 20 A, colour of coding: white, colour of housing: white
92.934.0053.0	Male connector with strain relief GST18i3F S2 ZR1 WS	Connector GST18i3, 3 pole, male, spring clamp connection, 250 V, 20 A, colour of coding: white, colour of housing: white

Drawings

