




Datasheet

Art.No. 56.106.0055.0

Measuring-disconnecting terminal WKN 6 TK

Current transformer disconnect terminal blocks with screw connection and integrated test sockets for mounting on TS 35; nominal cross section 6mm², width 8 mm, color gray



Art.No.	56.106.0055.0
EAN	4049088003141
Order unit	50 pieces

Approvals

Technical data

General

Nominal cross section	6 mm ²
Colour	Grey
Number of levels	1
Number of clamp positions per level	2
Width/grid dimension	8 mm
Insulating housing	PA666
Inflammability class of insulation material acc. with UL94	V0
Mounting method	DIN rail (top hat rail) 35/7.5 mm
Terminal blocks for electrical installations	No

Technical data

Rated current	41 A
Rated voltage	500 V
Rated impulse voltage	6 kV
Pollution degree	3
Closing plate required	Yes
Type of insulation material	Thermoplastic
Length	73.5 mm

Connection Data

Connection type 1	Screw connection
Connection type 2	Screw connection
Minimum cross section solid	0.5 mm²
Maximum cross section solid	10 mm²
Minimum cross section fine stranded	0.5 mm²
Maximum cross section fine stranded	10 mm²





Wire strip length	12 mm
Torque conductor mounting	1.2 Nm

Note

Integrated test socket	No

Accessories

Art.No.:	Type:	Description
05.566.6855.9	Switch lock SP WKN 6 TK	Disconnect locking device for Mess-Trennklemme
		WKN 6 TK
07.313.1755.0	End plate APN 6 TK	End plate for DIN rail terminal block type WKN 6 TK,
		color gray
98.300.0000.0	Mounting rail 35x27x7,5EN60715 2000MM	Mounting rail TS 35, unslotted, size 7,5 mm, length 2
		m, material steel. galv. zinc-plated and dichromated
98.300.1000.0	Mounting rail 35x27x7,5EN60715 2000MM	Mounting rail TS 35, slotted, size 7,5 mm, length 2 m,
		material steel. galv. zinc-plated and dichromated
98.300.1900.0	Mounting rail 35x27x7,5EN60715 2000MM	Mounting rail TS 35, slotted, size 7,5 mm, length 2 m,
		material steel. galv. zinc-plated and dichromated
98.360.0000.0	Mounting rail 35x24x15 EN60715 2000MM	Mounting rail TS 35, unslotted, size 15 mm, length 2 m,
		material steel. galv. zinc-plated and dichromated
98.360.0004.0	Mounting rail 35x24x15 EN60715 2000MM	Mounting rail TS 35, unslotted, size 15 mm, length 2 m,
		material steel, hot galvanized
98.370.0000.0	Mounting rail 35x27x15(EN60715)2000MM	Mounting rail TS 35, unslotted, size 15 mm, length 2 m,
		material steel. galv. zinc-plated and dichromated
98.370.1000.0	Mounting rail 35x27x15(EN60715)2000MM	Mounting rail TS 35, slotted, size 15 mm, length 2 m,
		material steel. galv. zinc-plated and dichromated
98.380.0000.0	Mounting rail 35x24x15 EN60715 2000MM	Mounting rail TS 35, unslotted, size 15 mm, length 2 m,
		material E copper
Z5.511.3553.0	Test socket SBN 4 GREY	Test socket for Test plug 4 mm for DIN rail terminal
		blocks type WKN 6 TK, color gray
Z5.511.3553.6	Test socket SBN 4 BLUE	Test socket for Test plug 4 mm for DIN rail terminal
		blocks type WKN 6 TK, color blue
Z5.511.3553.7	Test socket SBN 4 GREEN	Test socket for Test plug 4 mm for DIN rail terminal
		blocks type WKN 6 TK, color green
Z5.511.3553.8	Test socket SBN 4 YELLOW	Test socket for Test plug 4 mm for DIN rail terminal
		blocks type WKN 6 TK, color yellow
Z5.511.3553.9	Test socket SBN 4 VIOLET	Test socket for Test plug 4 mm for DIN rail terminal
		blocks type WKN 6 TK, color violet
Z5.522.7453.0	End bracket 9708 / S35	End clamp for mounting rail TS 35
Z5.522.8553.0	End bracket 9708 / 2 S 35	End clamp for mounting rail TS 35
Z5.523.5653.0	End bracket WE 2 / U	End clamp for mounting rail TS 35 and TS 32
Z5.523.5753.0	End bracket WE 1 / U	End clamp for mounting rail TS 35 and TS 32
Z5.523.9353.0	End bracket WEF 1 / 35	End clamp, schraubenlos for mounting rail TS 35
Z7.255.8227.0	Jumper bar IVB WKN 6 TK-2	Jumper comp, insulated for DIN rail terminal blocks
		type WK, 2 -pole
Z7.255.8327.0	Jumper bar IVB WKN 6 TK-3	Jumper comp, insulated for DIN rail terminal blocks
		type WK, 3 -pole
Z7.255.8427.0	Jumper bar IVB WKN 6 TK-4	Jumper comp, insulated for DIN rail terminal blocks
		type WK, 4 -pole
Z7.255.8527.0	Jumper bar IVB WKN 6 TK-5	Jumper comp, insulated for DIN rail terminal blocks
		type WK, 5 -pole
Z7.255.8627.0	Jumper bar IVB WKN 6 TK-6	Jumper comp, insulated for DIN rail terminal blocks
	·	type WK, 6 -pole
Z7.282.6229.0	Jumper bar IVB WKN 6TK-2	Cross connector, insulated for DIN rail terminal blocks
		type WKN 6 TK, 2 -pole
Z7.282.6329.0	Jumper bar IVB WKN 6TK-3	Cross connector, insulated for DIN rail terminal blocks
	·	type WKN 6 TK, 3 -pole
	I	Table 1 Table





Z7.282.6429.0	Jumper bar IVB WKN 6TK-4	Cross connector, insulated for DIN rail terminal blocks type WKN 6 TK, 4 -pole
Z7.282.6529.0	Jumper bar IVB WKN 6TK-5	Cross connector, insulated for DIN rail terminal blocks type WKN 6 TK, 5 -pole
Z7.282.6629.0	Jumper bar IVB WKN 6TK-6	Cross connector, insulated for DIN rail terminal blocks type WKN 6 TK, 6 -pole
Z7.282.7229.0	Cross-connector slide IVS WKN 6TK- 2	Sliding short circuit slide for DIN rail terminal blocks type WKN 6 TK, 2 -pole
Z7.282.7329.0	Cross-connector slide IVS WKN 6 TK-3	Sliding short circuit slide for DIN rail terminal blocks type WKN 6 TK, 3 -pole
Z7.282.7429.0	Cross-connector slide IVS WKN 6 TK-4	Sliding short circuit slide for DIN rail terminal blocks type WKN 6 TK, 4 -pole