


Datasheet

Art.No. 57.504.4055.0

Fuse terminal WK 4 TKG/U /V0

Disconnect block for fuse holder, component plug and fuse disconnect lever with screw connection for mounting on TS 35 and TS 32, nominal cross section 4 mm², width 6 mm, color gray



Art.No.	57.504.4055.0
EAN	4015573527188
Order unit	100 pieces

Approvals



Technical data

General

Nominal cross section	4 mm ²
Colour	Grey
Number of levels	1
Number of clamp positions per level	2
Width/grid dimension	6 mm
Insulating housing	PA666
Inflammability class of insulation material acc. with UL94	V0
Mounting method	DIN rail (top hat rail)/G-rail
Terminal blocks for electrical installations	No

Technical data

Rated voltage	800 V
Rated impulse voltage	8 kV
Pollution degree	3
Closing plate required	Yes
Type of insulation material	Thermoplastic
Length	48 mm

Connection Data

Connection type 1	Screw connection
Connection type 2	Screw connection
Minimum cross section solid	0.5 mm ²
Maximum cross section solid	6 mm ²

Minimum cross section fine stranded	0.5 mm ²
Maximum cross section fine stranded	4 mm ²
Wire strip length	9 mm
Torque conductor mounting	0.5 Nm

Technical Data UL/CSA

Cross section UL	22-10 AWG
Voltage UL	300 V
Current factory wiring	10 A
Current field wiring	10 A
Cross section CSA	20-10 AWG
Voltage CSA	250 V
Current CSA	6.3 A

Note

Remark to rated current	Note fuse insert
Integrated test socket	No

Accessories

Art.No.:	Type:	Description
07.311.6155.0	End plate AP 4 TK /V0	End plate for DIN rail terminal blocks type WK ..., color gray
07.311.8155.0	Partition TW 4 TK... /V0	Partition for DIN rail terminal blocks type WK ..., color gray
07.312.6155.0	Intermediate plate ZP/WK 4 TKG	Intermediate plate for DIN rail terminal blocks type WK ..., color gray
98.190.0000.0	Mounting rail G-32 EN60715 2000MM	Mounting rail G 32, unslotted, Höhe 5,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.190.1000.0	Mounting rail G-32 EN60715 2000MM	Mounting rail G 32, slotted, Höhe 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.210.0000.0	Mounting rail G-32 EN60715 2000MM	Mounting rail G 32, unslotted, Höhe 15 mm, length 2 m, material Aluminium
98.220.0000.0	Mounting rail G-32 EN60715 2000MM	Mounting rail G 32, unslotted, Höhe 15 mm, length 2 m, material E copper
98.300.0000.0	Mounting rail 35x27x7,5EN60715 2000MM	Mounting rail TS 35, unslotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.300.1000.0	Mounting rail 35x27x7,5EN60715 2000MM	Mounting rail TS 35, slotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.300.1900.0	Mounting rail 35x27x7,5EN60715 2000MM	Mounting rail TS 35, slotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.360.0000.0	Mounting rail 35x24x15 EN60715 2000MM	Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.360.0004.0	Mounting rail 35x24x15 EN60715 2000MM	Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material steel, hot galvanized
98.370.0000.0	Mounting rail 35x27x15(EN60715)2000MM	Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.370.1000.0	Mounting rail 35x27x15(EN60715)2000MM	Mounting rail TS 35, slotted, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.380.0000.0	Mounting rail 35x24x15 EN60715 2000MM	Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material E copper
Z1.298.1053.0	Fuse disconnect lever THSI 5X20	Fuse disconnect lever for taris WKC 1/2,5 TKG base block
Z1.298.1153.0	Fuse disconnect lever THSI 5X20LED 24	Fuse disconnect lever for diconnect terminal blocks selos / fasis / taris
Z1.298.1253.0	Fuse disconnect lever THSI 5X20LED 60	Fuse disconnect lever for diconnect terminal blocks selos / fasis / taris

Z1.298.1353.0	Fuse disconnect lever THSI 5X20GL 250	Fuse disconnect lever for diconnect terminal blocks selos / fasis / taris
Z1.298.1653.0	Fuse disconnect lever THSI 6,3X32	Fuse disconnect lever for diconnect terminal blocks selos / fasis / taris
Z1.298.1753.0	Fuse disconnect lever THSI 6,3X32 LED 24	Fuse disconnect lever for diconnect terminal blocks selos / fasis / taris
Z1.298.1853.0	Fuse disconnect lever THSI 6,3X32 LED 60	Fuse disconnect lever for diconnect terminal blocks selos / fasis / taris
Z1.298.1953.0	Fuse disconnect lever THSI 6,3X32 GL 250	Fuse disconnect lever for diconnect terminal blocks selos / fasis / taris
Z1.299.3055.0	Diode plug DIST-... /V0	Plug for mounting on disconnect block, type TKG, empty
Z1.299.3155.0	Diode plug DIST-1N 4007 -1 /V0	Plug for mounting on disconnect block, type TKG, with Diode
Z1.299.3255.0	Diode plug DIST-D /V0	Plug for mounting on disconnect block, type TKG, with jumper
Z1.299.3355.0	Diode plug DIST-1N 4007 -2 /V0	Plug for mounting on disconnect block, type TKG, with Diode
Z1.299.4055.0	Fuse holder SIST-... /V0	Fuse plug for taris WKC 1/2,5 TKG base block
Z1.299.4155.0	Fuse holder SIST-LED /V0	Fuse holder for diconnect terminal blocks selos / fasis / taris
Z1.299.4255.0	Fuse holder SIST- GL /V0	Fuse holder for diconnect terminal blocks selos / fasis / taris
Z5.522.1321.0	End bracket 9008 U	End clamp for mounting rail TS 32
Z5.522.2423.0	End bracket 9008	End clamp for mounting rail TS 32
Z5.522.7053.0	End bracket 9708	End clamp for mounting rail TS 32
Z5.522.7453.0	End bracket 9708 / S35	End clamp for mounting rail TS 35
Z5.522.8553.0	End bracket 9708 / 2 S 35	End clamp for mounting rail TS 35
Z5.523.5653.0	End bracket WE 2 / U	End clamp for mounting rail TS 35 and TS 32
Z5.523.5753.0	End bracket WE 1 / U	End clamp for mounting rail TS 35 and TS 32
Z5.523.9353.0	End bracket WEF 1 / 35	End clamp, schraubenlos for mounting rail TS 35
Z7.255.4227.0	Jumper bar IVB 1 WK4.. - 2	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 2 -pole
Z7.255.4327.0	Jumper bar IVB 1 WK4.. - 3	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 3 -pole
Z7.255.4427.0	Jumper bar IVB 1 WK4.. - 4	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 4 -pole
Z7.255.4527.0	Jumper bar IVB 1 WK4.. - 5	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 5 -pole
Z7.255.4627.0	Jumper bar IVB 1 WK4.. - 6	Jumper comp, insulated for DIN rail terminal blocks type WK ..., 6 -pole

